

SCIENTIFIC PROTOCOLS PRESENTED TO THE HEALTH MINISTRY

1 – Perspective, controlled, randomised evaluation of efficacy and tolerability of the oxygen-ozone therapy through subcutaneous way in the **underskin harming** and localized **lipidostrophias**

- **SIOT Protocol 933901**

2 - Perspective, controlled, randomised evaluation of efficacy and tolerability of the oxygen-ozone therapy through auto haemo-tranfusion in the peripheral **artheriopathies**

- **SIOT Protocol 933902**

3 - Perspective, controlled, randomised evaluation of efficacy and tolerability of the oxygen-ozone therapy through auto haemo-tranfusion in the chronic venous insufficiency

- **SIOT Protocol 933903**

4 - Perspective, controlled, randomised evaluation of efficacy and tolerability of the oxygen-ozone therapy through external topic application in the chronic trophic lesions

- **SIOT Protocol 933904**

5 - Perspective, controlled, randomised multi-centric evaluation of efficacy and tolerability of the oxygen-ozone therapy through intradiscal injection in the lumbar slipped disk

- **SIOT Protocol 953901**

6 - Perspective, controlled, randomised multi-centric evaluation of efficacy and tolerability of the oxygen-ozone therapy through intramuscular injection in the lumbar slipped disk

- **SIOT Protocol 953902**

7 - Controlled, multi-centric evaluation of activity and tolerability of the oxygen-ozone therapy through auto haemo-transfusion or insufflation in the colon for chronic epathopathie caused by virus HBV and HCV

- **SIOT Protocol 953903**

8 - Controlled evaluation of efficacy and tolerability of the oxygen-ozone therapy through auto haemo-transfusion for some ocular pathologies caused by ischemia.

- **SIOT Protocol 953904**

9 - Perspective, controlled, randomised multi-centric evaluation of efficacy of the oxygen-ozone therapy through application and auto haemo-transfusion in the prevention of the diabetic foot amputation

- **SIOT Protocol 963901**

10 – Preliminary clinical evaluation of the ozone treatment by auto haemo-transfusion in patients with progressive multiple sclerosis

- **SIOT Protocol 973901**

11 – Comparative assessment of the ozone therapy by auto haemo-transfusion in patients with mild to moderate dementia

- **SIOT Protocol 973902**

12 – Exploratory, non comparative evaluation of the ozone therapy by auto haemo-transfusion in patients with moderate to severe dementia

- **SIOT Protocol 973903I**

The protocols, as obligation, are covered by assurance with primary society, so as the device either, in consideration of the high safety and quality degree, are covered by assurance for the product. All for due to warranty between the utilizer and the user.